

TECHNICAL DATA SHEET

CHARACTERISTICS AND APPLICATIONS

HIGH PERFORMANCE IN LUBRICATION AND EXCELLENT PERFORMANCE IN LOCATIONS THAT HAVE CONTACT WITH WATER AND SEA SPRAY. Unipega White Grease is a lubricating grease based on lithium soap, mineral base oils, anti-corrosive additives and adhesive agent. Its versatility is due to its multiple applications. It has high consistency and lubricating power, excellent adhesion to the applied surface (which allows for longer-lasting lubrication), excellent protection against corrosion, good mechanical and chemical stability and excellent resistance to washing with water and steam. It also helps against the natural oxidation of the grease, maintaining the original characteristics of the part for longer. Recommended for general automotive, agricultural, earthmoving and industrial lubrication. Recommended for bearings, moving parts of machines, flexible couplings, pumps, axles, cardans, chassis joints. It has excellent performance in places that have contact with water and sea spray, such as jet skis, reels, boats, washing machines, refrigeration equipment and mechanical equipment in general. Due to its different characteristics, it can be used in machinery such as labeling machines, seamers and roller conveyors that work at low speed.

INSTRUCTIONS FOR USE AND HANDLING

HOW TO USE: Apply directly to the desired location using the extender.

ADVANTAGES

- Lithium soap base
- High consistency and lubricating power
- Excellent adhesion
- Excellent corrosion protection
- Good mechanical and chemical stability and excellent resistance to washing with water and steam

STORAGE

The product must be kept in its original packaging and stored in a cool place at a temperature of 5 to 30°C, away from direct sunlight and heat sources, with the packaging always facing upwards. Do not expose to sunlight or temperatures above 50°C. Avoid keeping the product inside vehicles. Keep out of reach of children and pets. Shelf life (from date of manufacture): 36 months.

LIMITED WARRANTY INFORMATION

The information contained in this Technical Data Sheet is based on our knowledge and experience up to the present date. Due to our product being able to be used in a wide range of applications and under different working conditions, we recommend that the customer conducts their own tests to approve the product for safety and intended use. We cannot assume responsibility for the results obtained by others whose methods are beyond our control. Therefore, it is the sole responsibility of the user to determine the suitability of the product for the desired purpose and to adopt any precautions that may be advisable to protect property and individuals against any hazards that may be involved in its handling and application. Our warranty applies within the context of legal regulations and provisions, professional standards in force, and in accordance with the determinations established in our general sales conditions. The detailed information in this document is provided for indicative purposes only. The same applies to any information provided verbally, by telephone, or in writing to any potential or existing customer. **For safety, handling, storage, and disposal information, please consult the respective Material Safety Data Sheet (MSDS).**



unipega.com

info@unipega.com



/unipegaoficial



@unipega_oficial



Unipega



Unipega